



GAS VALVES

Gas valves SIT



Gas valves HONEYWELL/ROBERTSHAW/DUNGS



Automatic gas ignition units, safety valves, solenoid valves



G.E.V. Großküchen-Ersatzteil-Vertrieb GmbH
Robert-Koch-Straße 3a
82152 Planegg/Munich
Germany

Phone: +49 (0)89 745572-0
Fax: +49 (0)89 745572-83
order@gev-online.com
www.gev-online.com

Member of the GEV GROUP

Gas valves COMPOSIT/SIMPLOSIT



page 4

Gas valves ELETTROSIT



page 5

Gas valves NOVASIT



page 6

Gas valves SIGMA/TANDEM



page 8

Gas valves HONEYWELL



page 10

Gas valves ROBERTSHAW/DUNGS



page 12

Automatic gas stokers



page 14

Safety valves



page 16


Solenoid valves



page 18

gas valves SIT (COMPOSIT, SIMPLOSIT, ELETTROSIT, SIGMA, TANDEM)

gas valves COMPOSIT



item	order no.	voltage	input	output	thermocouple	pilot output	no. Sit
1	101183*	230V	3/8"	3/8"	M9x1	M10x1	0.680.007
2	101775	230V	3/8"	3/8"	M9x1	M10x1	0.680.006

* with stuff in edgewise output

gas valves SIMPLOSIT



pos.	order no.	voltage	input	output	thermocouple	pilot output	no. Sit
1	106213	-	3/8"	3/8"	M9x1	-	0.500.015


accessories and spare parts for gas valves COMPOSIT/SIMPLOSIT



item	order no.	description	item	order no.	description
1	101055	solenoid coil	3	101276	screw connection 3/8"/ø 12mm
2	100904	locking screw ø 4mm	4	101273	olive ø 12mm
	100905	locking screw ø 6mm	5	101333	stuff 3/8" with o-ring

G Gas valves

gas valves ELETTROSIT



item	order no.	voltage	input	output	thermocouple connection	pilot output	thermocouple connection/pilot connection	no. Sit
1	101122	24V	3/4"	3/4"	M9x1	M10x1	bottom	0.810.171
	101121	230V	1/2"	1/2"	M9x1	M10x1	bottom	0.810.130
	106172	230V	1/2"	1/2"	M9x1	M10x1	edgewise	0.810.123
	106032	230V	1/2"	1/2"	11/32"	M10x1	bottom	0.810.156
	101123	230V	3/4"	3/4"	M9x1	M10x1	bottom	0.810.138
	101124	230V	3/4"	3/4"	M9x1	M10x1	edgewise	0.810.122
	101518	230V	3/4"	3/4"	11/32"	M10x1	edgewise	0.810.200
2	101126	230V	1/2"	1/2"	M9x1	M10x1	bottom	0.810.136
	101993	230V	1/2"	1/2"	M9x1	M10x1	edgewise	0.810.126
	101127	230V	3/4"	3/4"	M9x1	M10x1	edgewise	0.810.175

accessories and spare parts for gas valves ELETTROSIT



item	order no.	description	item	order no.	description	item	order no.	description
1	100006	piezoelectric igniter	4	101507	flange holder 1/2" straight	7	101515	screw
2	101312	micro switch	5	101508	flange holder 1/2" elbow		100904	locking screw ø 4mm
3	101352	solenoid coil 230V		101509	flange holder 3/4" elbow	8	100905	locking screw ø 6mm
4	101506	flange holder 1/2" straight	6	101502	o-ring		101602	locking screw 1/4"



item	order no.	description	suitable for	item	order no.	description	suitable for
1	101309	extension	Zanussi	5	102597	holder	Zanussi
2	101310	extension	Alpeninox	6	102598	spring	Zanussi
3	101311	extension	Alpeninox	7	102599	push button	Zanussi
4	102596	protection	Angelo Po				

NOVASIT 820/822



1



2



3

item	order no.	power supply	frequency	input	output	thermocouple connection	output for pilot burner	ignition pressure (mbar)	pressure control range (mbar)	connection for pressure controller	no. Sit
1	101187	millivolt	-	1/2"	1/2"	M9x1	M10x1	-	5-50	blank	0.820.301
	101162	230V	50Hz	1/2"	1/2"	M9x1	M10x1	3-5	3-30	blank	0.820.010
	106002	230V	50Hz	1/2"	1/2"	M9x1	M10x1	2-3	3-30	punched	0.820.011
	101908	230V	50Hz	1/2"	1/2"	M9x1	M10x1	-	3-30	blank	0.820.018
2	101956	230V	50Hz	1/2"	1/2"	M9x1	M10x1	-	5-50	blank	0.820.031
	101761	230V	50Hz	1/2"	1/2"	M9x1	M10x1	3-5	3-30	connection RP	0.820.034
	101980	230V	50Hz	1/2"	1/2"	11/32"	M10x1	3-5	3-30	blank	0.820.020
	101760	220V	60Hz	1/2"	1/2"	M9x1	M10x1	3-5	3-30	blank	0.820.060
	101914	230V	50Hz	1/2"	1/2"	-	closed	-	3-30	blank	0.822.114
3	101540	230V	50Hz	1/2"	1/2"	-	closed	3-5	3-30	blank	0.822.113
	106005	230V	50Hz	1/2"	1/2"	-	closed	6-10		blank	0.822.112
	101967	230V	50Hz	1/2"	1/2"	-	M10x1	3-5	3-30	punched	0.822.110

NOVASIT 824/826/827



1



2

item	order no.	power supply	frequency	input	output	thermocouple connection	output pilot burner	ignition pressure (mbar)	pressure control range (mbar)	power supply for modulator	no. Sit
1	101688	230V	50Hz	1/2"	1/2"	-	M10x1	-	2-50	-	0.824.011
	106001	230V	50Hz	1/2"	1/2"	-	closed	3-5	2-50	230VRAC	0.826.011
2	101163	230V	50Hz	1/2"	1/2"	-	M10x1	3-5	2-20	28VDC	0.827.110
	106055	230V	50Hz	1/2"	1/2"	-	closed	3-5	3-37	28VDC	0.827.111

accessories and spare parts for gas valves NOVASIT



item	order no.	description
1	101314	solenoid coil 24V, 50Hz
	101313	solenoid coil 230V, 50Hz
	101867	solenoid coil 220V, 60Hz
2	101317	plug with connecting cable
3	550896	gasket and screw
4	101318	cover

item	order no.	description
5	101639	solenoid coil 24V, 50Hz, NOVA 822/826/827
	101542	solenoid coil 230V, 50Hz, NOVA 822/826/827
	101763	solenoid coil 24V, 60Hz, NOVA 822/826/827
	101669	solenoid coil 220V, 60Hz, NOVA 822/826/827
6	101776	plug with connecting cable 905mm



item	order no.	description
1	101866	solenoid coil 230V, RAC NOVA 824/826
	101934	solenoid coil 28VDC, NOVA 825/827
2	101932	modular cartridge, 2-20mbar, NOVA 827
	101933	modular cartridge, 3-37mbar, NOVA 827

item	order no.	description
3	101859	connecting cable with plug for rectifier
4	101065	magnetic shim NOVA 820/824
5	101925	stuff for pilot burner, M10x1 with o-ring
6	100006	piezoelectric igniter 820/ 824/ 825
7	106232	pressure controller



item	order no.	description
1	101305	flange holder 1/2", straight
	101307	flange holder 3/4", straight
2	101306	flange holder 1/2", elbow
	101308	flange holder 3/4", elbow
3	100904	locking screw ø 4mm

item	order no.	description
3	100905	locking screw ø 6mm
	101602	locking screw ø 1/4"
4	101312	micro switch
5	100110	pilot burner for millivolt voltages
6	102116	generator for millivolt voltages



Abb.	Bestell-Nr.	Beschreibung	passend für
1	101674	knob extension 57mm for NOVA 820/824/825	universal
	101359	knob extension 75mm for NOVA 820/824/825	
3	111759	knob extension 75mm for NOVA 820/824/825	MBM
4	101301	ø 6x4,6mm	Mareno 1923500

item	order no.	description	suitable for
4	101817	adapter for knob, ø 10x8mm	Mareno
5	101799	adapter for knob, ø 10x8mm	Zanussi 004667
6	101928	adapter for knob, ø 10x8mm	Zanussi 059305
8	101800		Zanussi 002604

SIGMA



pos.	order no.	power supply	frequency	input	output	pressure control range (mbar)	no. Sit
1	101989	230V	50Hz	3/4"	3/4"	2-50	0.840.016
2	106009	230V	50Hz	3/4"	3/4"	0,5-12	0.848.037

accessories and spare parts for gas valves SIGMA



pos.	order no.	description	power supply	frequency
1	106214	solenoid coil	230V	50Hz

TANDEM



item	order no.	power supply	frequency	input	output	output pilot burner	level slow-ignition	ignition time	pressure control range (mbar)	power supply modulator	no. Sit
1	106219	230V	50Hz	1/2"	1/2"	M10x1	standard	3-7s	-	-	0.830.020
	101189	230V	50Hz	1/2"	1/2"	M10x1	-	-	3-50	-	0.830.040
	101881	230V	50Hz	1/2"	1/2"	-	-	-	3-50	-	0.830.041
	101684	230V	50Hz	1/2"	1/2"	-	standard	3-7s	3-50	-	0.830.034
2	106230	24V	50Hz	1/2"	1/2"	M10x1	-	-	3-50	-	0.830.100
3	101984	230V	50Hz	1/2"	1/2"	-	-	-	2-50	230VRAC	0.836.010
	101985	230V	50Hz	1/2"	1/2"	-	-	-	6-50	230VRAC	0.836.021

accessories and spare parts gas valves TANDEM



item	order no.	description	item	order no.	description
1	101379	solenoid coil 230V, 50Hz	4	101866	solenoid coil for modulator 230VRAC
2	101935	plug with cable 1000mm	5	101859	connecting cable for rectifier, with plug
3	101936	gasket and screw			



item	order no.	description	item	order no.	description
1	102846	flange holder 1/2", straight		100904	locking screw ø 4mm
2	102845	flange holder 1/2", elbow	5	100905	locking screw ø 6mm
3	101275	screw connection 1/2" - ø 16mm		101602	locking screw 1/4"
4	101274	olive ø 16mm	6	101925	stuff for pilot burner, M10x1, with o-ring

gas valves HONEYWELL

V4400/4600



1



2



3

item	order no.	supply operator	frequency	input	output	thermocouple connection	output for pilot burner	pressure control range (mbar)	type operator	no. Honeywell
1	102368	230V	50Hz	3/4"	3/4"	11/32"	M11x1	2,5-20	230V (V404A 1071)	V4400A 1025
2	101120	230V	50Hz	3/4"	3/4"	11/32"	M11x1	2,5-20	230V (V404A 1071)	V4400C 1211
	106229	230V	50Hz	1/2"	1/2"	11/32"	M11x1	5-50	230V (V404A 1071)	V4600A 1031
3	101119	230V	50Hz	1/2"	1/2"	11/32"	M11x1	2,5-20	230V (V404A 1071)	V4600C 1029
	106059	230V	50Hz	ø 23mm	ø 23mm, straight	11/32"	M11x1	2,5-20	230V (V404A 1071)	V4600C 1128

VK4105/4115



1



2

item	order no.	power supply	frequency	input	output	thermocouple connection	output pilot burner	pressure control range (mbar)	no. Honeywell
	106007	230V	50Hz	ø 18,6mm	ø 18,6mm, straight	-	-	5-50	VK4105A 1118
	106004	230V	50Hz	ø 18,6mm	ø 18,6mm, straight	-	-	2-50	VK4105C 1009
1	101186	230V	50Hz	ø 18,6mm	ø 18,6mm, straight	-	-	1,5-20	VK4105C 1041
	106012	230V	50Hz	ø 18,6mm	ø 14mm, edgewise	-	-	5-50	VK4115V 1014
	106206	230V	50Hz	ø 18,6mm	ø 14mm, edgewise	-	-	5-50	VK4115V 1097
	106054	230V	50Hz	ø 18,6mm	ø 18,6mm, straight	-	-	5-50	VK4115V 1154
2	106008	230V	50Hz	1/2"	1/2", straight	-	-	8-50	VK4105P 2037
	102320	230V	50Hz	ø 18,6mm	ø 18,6mm, straight	-	-	4-37	VK4105Q 2010

VR4605



item	order no.	supply operator	frequency	input	output	thermocouple connection	output for pilot burner	pressure control range (mbar)	type operator	no. Honeywell
1	106010	230V	50Hz	ø 18,6mm	1/2", straight	-	-	3-37	230V (V404A 1071)	VR4605A 1013
	101164	230V	50Hz	1/2"	1/2", straight	-	-	3-37	230V (V404A 1329)	VR4605A 1037
2	101395	230V	50Hz	1/2"	1/2", straight	-	-	8-50	230V (V404A 1071)	VR4605P 2015

accessories and spare parts gas valves HONEYWELL




item	order no.	description	item	order no.	description
1	101064	solenoid coil	6	101305	flange holder 1/2", straight
2	101494	union screw M11x1, ø 6mm		101307	flange holder 3/4", straight
3	102369	button red	7	101306	flange holder 1/2", elbow
4	102370	button black		101308	flange holder 3/4", elbow
5	101320	cover			



item	order no.	description	item	order no.	description
1	101324	pressure controller 2,5-20mbar, natural gas	4	101408	operator millivolt
	101399	pressure controller 5-50mbar, LPG	5	101532	operator 24V
2	106220	magnetic pressure controller 3-37mbar	6	101319	operator 230V
	101426	magnetic pressure controller 8-50mbar		101322	thermostat 2,5-18mbar
3	101325	blank plate		101323	thermostat 18-50mbar

gas valves ROBERTSHAW

electric gas valves



item	order no.	supply operator	frequency	input	output	thermocouple connection	output for pilot burner	pressure controller	no. Robertshaw
1	580032	12VDC/24VAC	50/60Hz	1/2"	1/2"	3/8" NEF	1/4" pipe american	natural gas 3,5"	7000BMSE
	106130	12VDC/24VAC	50/60Hz	1/2"	1/2"	11/32"	1/4" pipe american	natural gas 6,7"	7000BER-S7AL
	106132	12VDC/24VAC	50/60Hz	1/2"	1/2"	11/32"	1/4" pipe american	natural gas 6,7"	7000BER-S7CL
	106131	12VDC/24VAC	50/60Hz	3/4"	3/4"	11/32"	1/4" pipe american	natural gas 6,7"	7000BER-S7CL
2	101429	120VAC	50/60Hz	3/4"	3/4"	3/8" NEF	1/4" pipe american	natural gas 3,5"	7000BMSE-120
	580044	120VAC	50/60Hz	3/4"	3/4"	11/32"	1/4" pipe american	natural gas 3,5"	7000BER-120
3	106133	220/240VAC	50/60HZ	1/2"	1/2"	11/32"	1/4" pipe american	natural gas 6,7"	U7000ER-240-S7CL/S
	101388	220/240VAC	50/60HZ	3/4"	3/4"	11/32"	1/4" pipe american	natural gas 6,7"	U7000ER-240-S7CL/S
4	106134	208/240VAC	50/60HZ	1"	1"	11/32"	1/4" pipe american	natural gas 6,7"	7000ERHC-240-S7CL

millivolt controlled gas valves



item	order no.	supply operator	input	output	thermocouple connection	output for pilot burner	pressure controller	no. Robertshaw
1	106123	millivolt	3/4"	3/4"	-	1/4" pipe american	without	7000BMV-S7CL
2	106125	millivolt	1/2"	1/2"	11/32"	1/4" pipe american	natural gas 3,5"	U7000MVRL
	580031	millivolt	3/4"	3/4"	-	1/4" pipe american	natural gas 3,5"	7000BMVR
3	106122	millivolt	1/2"	1/2"	-	1/4" pipe american	natural gas 4,0"	7000BMVR
	106124	millivolt	3/4"	3/4"	-	1/4" pipe american	natural gas 6,7"	7000BMVRL

gas valves controlled by gas



item	order no.	supply operator	input	output	thermocouple connection	output for pilot burner	pressure controller	no. Robertshaw
1	106128	gas	3/4"	3/4"	11/32"	1/4" pipe american	without	7000BGO
	101430	gas	3/4"	3/4"	11/32"	1/4" pipe american	natural gas 3,5"	7000BGOR-S7B
2	580043	gas	3/4"	3/4"	3/8" NEF	1/4" pipe american	natural gas 3,5"	7000BMSGOR
	106129	gas	1/2"	1/2"	11/32"	1/4" pipe american	natural gas 4,0"	U7000AGORL
	106127	gas	1/2"	1/2"	11/32"	1/4" pipe american	natural gas 5,2"	7000BGOR

accessories and spare parts for ROBERTSHAW



item	order no.	description	item	order no.	description	item	order no.	description
1	101043	solenoid coil millivolt	4	101404	operator 240VAC, LPG	7	101393	blocking plate LPG
	101042	solenoid coil thermocouple, 11/32"		101422	operator millivolt, natural gas		106121	pressure controller natural gas, 3,5"
2	101047	solenoid coil thermoelectric generator, 3/8" NEF		101403	operator 24VAC, natural gas	8	101389	pressure controller natural gas, 6,7"
	3	580035	thermoelectric generator, 3/8" NEF	5	101418		operator 120VAC, natural gas	101416
101421		operator millivolt, LPG	101406		operator 240VAC, natural gas	9	101415	spring for pressure controller, natural gas
4	101402	operator 24VAC, LPG	6	106135	operator 120VAC, LPG, with cable			
	101417	operator 120VAC, LPG		106136	operator 240VAC, LPG, with cable			



item	order no.	description	item	order no.	description
1	112142	knob	4	560318	screw for slot cover
2	580033	knob	5	102983	reducer 3/4"-1/2" FPT
3	106120	slot cover	6	101419	locking screw 1/4" pipe american

©GEV 2007

gas valves DUNGS



item	order no.	power supply	frequency	input	output	no. Dungs
1	106050	230V	50/60Hz	1/2 ^{cc}	1/2 ^{cc}	GB 055 243 443
2	106051	230V	50/60Hz	1/2 ^{cc}	1/2 ^{cc}	GB-WND 055 243 442

automatic gas ignition units


SIT



item	order no.	number electrodes	waiting time	safety time	no. Sit	item	order no.	number electrodes	waiting time	safety time	no. Sit
1	nla*	2	1,5s	10s	0.501.067	2	102308	2	1,5s	10s	0.503.101
	102303	2	1,5s	5s	0.501.201		101683	2	1,5s	10s	0.503.102
	102317	2	1,5s	10s	0.501.213		102387	1	1,5s	60s	0.503.204
	102304	2	1,5s	10s	0.501.219		102309	3	1,5s	10s	0.537.001
	102305	2	5s	5s	0.501.227		102300	1	1,5s	10s	0.537.101
2	nla*	-	-	-	0.501.237	3	101990	3	1,5s	5s	0.537.307
	101685	2	1,5s	10s	0.503.003		102299	1	1,5s	10s	0.577.101
	102306	1	1,5s	5s	0.503.004		102346	2	1,5s	6s	0.577.307
	102307	2	1,5s	30s	0.503.005						

* no longer available

HONEYWELL



item	order no.	number electrodes	waiting time	safety time	no. Honeywell	item	order no.	number electrodes	waiting time	safety time	no. Honeywell
1	101165	1	0s	10s	S4560A 1008	2	102367	2	0s	10s	S4565A 2092
	101166	1	0s	10s	S4560B 1006		102318	2	0s	10s	S4565AF 1007V01
	102347	1	10s	5s	S4560M 1010		101184	-	-	-	S4565C 1033
	102358	1	0s	5s	S4570AS 1012		102353	2	0s	10s	S4575B 1033
2	102343	-	-	-	S4565A 2019						

BRAHMA

© GEV 2007



1



2



3

item	order no.	number electrodes	waiting time	safety time	no. Brahma	item	order no.	number electrodes	waiting time	safety time	no. Brahma
1	102337	2	1,5s	5s	37100204	2	102338	2	1,5s	5s	24019905
	106006	2	1,5s	10s	37101207	3	102340	1	1,5s	10s	24080001

various automatic gas ignition units



1



2



3

item	order no.	producer	type	waiting time	safety time	suitable for
1	101377	White Rodgers	50A72-214	0s	5s	Lainox
2	101569	White Rodgers	50A72-213	0s	2s	Fagor
3	101577	Bertelli	AM11	2s	10s	Ambach



1



2



3

item	order no.	producer	type	waiting time	safety time	suitable for
1	102378	Dungs	DGAI 73	3s	10s	MKN
2	102373	Imit	576307	2s	10s	Star 10
3	102380	Rational	-	-	-	Rational

G

Gas valves

safety valves

ORKLI/JUNKERS




item	order no.	fixing	pressure	input	output	thermocouple connection	no. Junkers
1	101495	front fixing, M12x0,75	50mbar	1/8" outer	1/8" inner	M8x1	CV101003
2	101496	front fixing, M12x0,75	50mbar	M12x1 outer	ø 8mm	M8x1	CV101002
	101498	front fixing, M12x0,75	50mbar	M15x1 outer	ø 8mm	M8x1	CV101008
3	101497	front fixing, M12x0,75	50mbar	M12x1,5 outer	M12x1,5 inner	M8x1	CV101007
4	101197	front fixing, M12x0,75	4bar	1/8" outer	1/8" inner	M8x1	CV101016
5	101196	front fixing, M12x0,75	4bar	M14x1,5 outer	ø 8mm	M8x1	CV101015



pos.	order no.	pressure	input	output	ignition gas	thermocouple connection	no. Junkers
1	102817	50mbar	3/8"	3/8"	M8x1	M10x1	CV202015

accessories and spare parts for ORKLI/JUNKERS



item	order no.	description	length (mm)	D1 (mm)	D2 (mm)	item	order no.	description
1	101051	solenoid coil ordinary pressure	27	12,	8,5	2	101501	nut M12x0,75
	101046	solenoid coil high pressure*	27	12,5	8,5	3	101499	protective cover M12x0,75
	101060	solenoid coil ordinary pressure	35	15,4	10,5			
	101048	solenoid coil high pressure*	35	15,4	10,5			

*unsuitable for large kitchen devices

SIT



item	order no.	fixing	pressure	input	output	ignition gas	thermocouple connection	no. Sit
1	101470	front fixing M12x1	50mbar	1/8" inner	1/8" outer	-	M8x1	0.400.088
2	101471	front fixing M12x1	50mbar	1/4" outer	1/4" outer	-	M8x1	0.400.006
	106218	without fixing	50mbar	3/8" outer	3/8" outer	-	M8x1	0.400.007
3	101138	without fixing	50mbar	3/8" outer	3/8" outer	M10x1	M9x1	0.420.040
	101677	without fixing	50mbar	3/8" outer	1/4" inner	M10x1	M9x1	0.420.038
4	101676	front fixing M14x1	50mbar	3/8" outer	3/8" outer	M10x1	M9x1	0.420.025
-	nla*	front fixing M14x1	50mbar	3/8" outer	3/8" outer	M10x1	M9x1	0.420.051

* no longer available

accessories and spare parts for SIT



item	order no.	description	item	order no.	description
1	101052	solenoid coil Sit 0.400	3	101299	nut M12x1
	101055	solenoid coil Sit 0.420		102382	nut M14x1
2	102383	knurled nut M12x1	4	100909	locking screw M10x1, ø 6mm
	102384	knurled nut M14x1	5	101286	olive ø 6mm

D3



pos.	order no.	input	output	thermocouple connection	pilot output	no. Sit	pos.	order no.	input	output	thermocouple connection	pilot output	no. Sit
1	101100	1/2"	1/2"	M9x1	M10x1	0.440.013	2	101101	3/4"	3/4"	M9x1	M10x1	0.440.005

accessories and spare parts D3



pos.	order no.	description	pos.	order no.	description
1	100904	locking screw ø 4mm	2	100905	locking screw ø 6mm

gas solenoid valves BRAHMA brass solenoid valves



Technical data:

fast opening, fast closing, without volume presetting.
 P min: 0bar
 P Max: 500mbar
 no. CE reg...: 63AQ0626

pos.	order no.	connection	nominal width (mm)	supply	overall length (mm)	coil type
1	101486	3/8"	10	230VAC	56	13747002
2	101487	1/2"	10	230VAC	56	13742002

solenoid valves aluminium



Technical data:

slow opening, fast closing, with volume presetting.
 P min: 0bar
 P Max: see table
 no. CE reg...: 63AQ0626

pos.	order no.	connection	nominal width (mm)	supply	overall length (mm)	P max (mbar)	coil type
1	101488	1/2"	15	230VAC	72	250	13922051
2	101490	3/4"	25	230VAC	96	300	13932000
3	101492	1"	30	230VAC	111	350	13942000
4	101493	1 1/2"	40	230VAC	138	200	13950200



Technical data:

fast opening, fast closing, without volume presetting.
 P min: 0bar
 P max: see table
 no. CE reg...: 63AQ0626

pos.	order no.	connection	nominal width (mm)	supply	overall length (mm)	P max (mbar)	coil type
1	101948	1/2"	15	230VAC	72	500	13902001
2	106069	3/4"	25	230VAC	96	500	18813004
3	106071	1"	30	230VAC	111	500	18813014

accessories and spare parts for gas solenoid valves BRAHMA



item	order no.	supply	power	ø inlet (mm)	coil type	item	order no.	supply	power	ø inlet (mm)	coil type
1	101520	230VAC	20VA	17	13747002	2	101523	230VAC	33VA	30	13932000
	101521	230VAC	20VA	17	13742002		101524	230VAC	35VA	30	13942000
	101522	230VAC	20VA	17	13922051		101525	230VAC	37VA	30	13950200
	101968	230VAC	20VA	17	13902001		106070	230VAC	37VA	30	18813004
3	106242	230VAC	20VA	17	18811151	106072	230VAC	37VA	30	18813014	

gas solenoid valves **DUNGS**

solenoid valves aluminium



Technical data:

slow opening, fast closing, with volume presetting.

P min: 0bar

P max: 200mbar

no. CE reg...: 63AQ0626

pos.	order no.	connection	supply	overall length (mm)
1	102379	1/2"	230VAC	76
2	102385	3/4"	230VAC	-
3	102386	1"	230VAC	-

gas solenoid valves **BRAHMA**

brass solenoid valves



Technical data:

P min: 0bar

P max: 140mbar

plug case: DIN

pos.	order no.	connection	supply	overall length (mm)
1	101378	1/2"	230VAC	58

gas solenoid valves **KROMSCHRÖDER**

solenoid valves aluminium



Technical data:

P min: 0bar

P max: 360mbar

no. CE reg. CE-0085AP0975

pos.	order no.	connection	supply	overall length (mm)
1	101472	M12x1	230VAC	52

gas solenoid valves **BÜRKERT**



Technical data:

type series: 0285
 P min: 0bar
 P max: 0,5bar
 membrane: NBR
 supply: 230VAC
 no. CE reg.: CE-0085AS0391

pos.	order no.	connection	nominal width (mm)	overall length (mm)
1	370281	1/2"	12	74,5



Technical data:

type series: 0285
 P min: 0bar
 P max: 0,5bar
 membrane: NBR
 supply: 230VAC
 no. CE reg.: CE-0085AS0391

pos.	order no.	connection	nominal width (mm)	overall length (mm)
1	370282	3/4"	20	100
2	370283	1"	25	115

gas solenoid valves **TECNOCONTROL**

brass solenoid valves, off-current, open



Technical data:

type series: VR5
 P min: 0bar
 P max: 0,55bar
 membrane: NBR

pos.	order no.	connection	supply
1	102941	1/2"	230VAC
2	102942	3/4"	230VAC
3	102943	1"	230VAC

